

DESIGN AND ANALYSIS OF MULTISTORY BUILDING WITH AND WITHOUT FLOATING COLUMN

Yashwanthkumar S S¹, Deshmukh Aditya Santosh² , Patil Siddhi Sanjay³, Wadkar Raj Umesh⁴, Chotaliya Harsh Chandrakant⁵

¹ Asst Professor, Department Of Civil Engineering, New Horizon Institute Of Technology And Management, Maharashtra, India

² B.E Student , Department Of Civil Engineering , New Horizon Institute Of Technology And Management , Maharashtra , India

³B.E Student, Department Of Civil Engineering, New Horizon Institute Of Technology And Management, Maharashtra, India

⁴ B.E Student , Department Of Civil Engineering , New Horizon Institute Of Technology And Management , Maharashtra , India

⁵ B.E Student , Department Of Civil Engineering , New Horizon Institute Of Technology And Management , Maharashtra , India

Abstract - The floating column is a vertical member which rest on a beam but doesn't transfer the load directly to the foundation. Floating column act as the point load which act over a beam and thid beam transfer its load to other adjecnt column. The column may start off on any of the intermideate floor beam while it is resting over a beam.

Key Words: Columns, Floating Columns, G+12, STADD Pro.

1.INTRODUCTION

A floating column is a structural element in a building that is not rigidly connected to the foundation or the structure below it. Instead, it is supported by other structural elements such as walls or beams. Floating columns are often used in construction to accommodate changes in the layout of a building or to create open spaces with fewer obstructions. They can also be used to transfer loads from upper floors to the foundation while allowing flexibility in the arrangement of the lower levels. This flexibility can be advantageous in architectural design and space planning.

2. METHODOLOGY

2.1 Architectural Drawings:

Obtain or create detailed architectural drawings. These will serve as the basis for your structural design. Pay close attention to elements like beams, columns, slabs, walls, openings, and building dimensions..

2.2 Creating the Model in STAAD Pro:

•Launch STAAD Pro and start a new project. Import or draw the structural geometry based on the architectural plans. This involves defining nodes, beams, columns, slabs, walls, and other structural elements.

2.3 Define Material Properties:

Assign specific material properties to the elements. For example, specify parameters like concrete grade, steel grade, density, Young's Modulus, Poisson's ratio, etc.

2.4 Load Application:

- Apply all the relevant loads to the model. This includes:
- Dead loads.
- Live loads .
- Snow loads, if applicable.
- Wind loads, as per local codes.
- Earthquake loads, if the project is in a seismic zone.

2.5 LOAD COMBINATION

Following load combinations were considered in analysis of the building as per IS 1893(Part 1):2002

• Dead Loads (DL):

- Self-weight of structural elements, including beams, columns, slabs, etc.
- Fixed loads like permanent equipment, finishes, and other non-moving loads.
 - Live Loads (LL):
- Occupancy loads based on the intended use of each floor (e.g., residential, commercial, industrial).
- Variable loads such as furniture, storage, and people.

• Wind Loads (WL):

• Wind forces acting on the structure, considering the local wind speed, exposure category, and building shape.



e-ISSN: 2395-0056 p-ISSN: 2395-0072

Include windward and leeward forces, as well as lateral 0 loads on the façade.

Seismic Loads (SL): ٠


- Earthquake forces based on the seismic zone where the 0 building is located.
- Consider the seismic design parameters such as spectral 0 acceleration, importance factor, and response reduction factor.

3. MODELING AND PROBLEM STATEMENT


	I) Material Data	
Grade of concrete	M35	
Grade of Steel	Fe500	
Unit weight of RCC	25kN/m2	
II) Structural Data		
Type of structure	SMRF	
Type of soil	Medium soil	
Size of beam	450mm X350mm	
Size of column	350mmX600mm	
Depth of slab	200mm	
III) Architectural Data		
Number of stories	G+12	
Floor height	3mt	
Dimension of plan	22.2m x 17m	
IV) Seismic Data		
Seismic Zone	III	
Response reduction	5	
factor		
Importance factor	1	
Damping ratio	5%	
V) Loads		
Live load	3kN/m2	
Floor finish	1.5kN/m2	
Wall load on exterior	13.11kN/m	
frame		
Wall load on interior	8.55kN/m	
frame		

MODEL DETAILS


MODEL 1	RCC structure without Floating column i.e., Normal (G+13) storey building
MODEL 2	RCC structure with floating column, Columns removed in corner of exterior frame (floating column at first floor)
MODEL 3	RCC structure with floating column, Columns removed in corner of exterior frame (floating column at 6th floor)
MODEL 4	RCC structure with floating column, Columns removed in corner of exterior frame (floating column at 11th)



3D RENDERING VIEW



GEOMETARY OF MODEL





International Research Journal of Engineering and Technology (IRJET) e-ISSN: 2395-0056 IRJET Volume: 11 Issue: 04 | Apr 2024 www.irjet.net p-ISSN: 2395-0072







PLATE RESULTS



EARTHQUAKE LOAD



BEAM RESULTS




WIND LOAD



International Research Journal of Engineering and Technology (IRJET) e-ISSN: 239

Volume: 11 Issue: 04 | Apr 2024 www.i

www.irjet.net



CONCRETE DESIGN

4 RESULT AND DISCUSSION

4.1 Shear Force

Shear force, on the other hand, pertains to the internal force that acts parallel to the cross-section of a structural element, like a beam or column. It emerges as a result of external loads application, such as gravity loads, live loads, or lateral loads.




Fig. 1: Shear Force Graph

4.2 Displacement Of Earthquake Load

The Maximum displacement in the building along the x direction is obtained for seismic load combination. 1.5(DL+EQX) and along Z- direction is obtained for the seismic load combination 1.5(DL + EQZ).




Fig.2: Story Displacement In X Direction




Fig. 3: Story Displacement In Z Direction

5. CONCLUSIONS

In the research, a standard building and a building with floating columns at various floor levels are contrasted and compared to one another.

- There is a correlation between the amount of storey displacement and the height of the building.
- For floating column structures, every single model displacement value goes up, but most noticeably for the corner floating column building.
- As a result of the gradual decrease in weight from lower to higher floors, storey shear will be greater for lower floors than it will be for higher levels.

REFERENCES

- 1. Sudrshan Kulkarni Vaibhav Gudgari Rajan Darekar Tanmay Bahegavankar, Analysis and Design of Floating Column, NCTEP 2019
- 2. Jyoti Podili Bappudi Babu, Design and Analysis of high rise building with floating column

International Research Journal of Engineering and Technology (IRJET) Volume: 11 Issue: 04 | Apr 2024 www.irjet.net

e-ISSN: 2395-0056 p-ISSN: 2395-0072

- 3. Pratyush Malavign Savrav kumar, Comparative study of effects of floating column on the cost analysis of structure design on STADD Pro V8i, IJSER May 2014
- 4. Dhananjay Bhoge Srusti Marde Bhumika Meher Rohan Tare Swati Bhurve , Analysis of multistory building with and without floating column
- 5. Sasidhar T P. Sai Avinash N. Janaradan , Analysis of multistored building with and without floating column using etabs , IJCET 6 JUNE 2017
- 6. Aayush Gupta Umesh Pendharkar , Multistorey building with and without floating column , IJITEE 4 FEB 2020
- Ms. Rawae Balaji Prof. K. S. Upase , Multiple story building with and without a floating column : A comparative study, IJARIIE – ISSN(O)-2395-4396 Vol-8 4- 2022
- 8. Deekshitha R Dr. H. S. Sureshchandra , Analysis of multi-storey building with and without floating column , IJERT ISSN: 2278-0181 VOL. 6 6 JUNE 2017
- Priyanka Kumari Dr Mrs. N R Dhamge , Analysis of multi-storey building with floating column , IJSRD ISSN: 2321-0613 Vol. 3 8 – 2015

BIOGRAPHIES



Yashwanthkumar S S (Asst. Professor, Department of Civil Engineering, New Horizon Institute of Technology and Management, Maharashtra, India)



Deshmukh Aditya Santosh (B.E Student, Department of Civil Engineering, New Horizon Institute of Technology and Management, Maharashtra, India)

Patil Siddhi Sanjay (B.E Student, Department of Civil Engineering, New Horizon Institute of Technology and Management, Maharashtra, India)



Wadkar Raj Umesh (B.E Student, Department of Civil Engineering, New Horizon Institute of Technology and Management, Maharashtra, India)



Chotaliya Harsh Chandrakant (B.E Student, Department of Civil Engineering, New Horizon Institute of Technology and Management, Maharashtra, India)