International Research Journal of Engineering and Technology (IRJET)Volume: 06 Issue: 02 | Feb 2019www.irjet.net

ATM Accessing System for the Visually Impaired using Image Processing: A survey

Abhilasha S¹, Bhavya V¹, Geethanjali B M¹, Sandhya M R¹, Asst Prof. Saravana M K²

¹Dept. of Computer Science and Engineering, Jyothy Institute of Technology, Bangalore, India ²Asst Professor, Dept. of Computer Science and Engineering, Jyothy Institute of Technology, Bangalore, India ***

Abstract - According to the study from the reports and documentation reveals that about 314 million people are visually challenged worldwide. This paper reviews various method used for implementing easily accessible and secure Automated Teller Machine (ATM) systems for visually challenged people. The below referred papers solely depends on the shape of the hand gesture. Gesture recognition system is created to provide gestures, a unique tag of interpretation after recognition and classification to form an intuitive and many convenient way of interaction.

Key Words: ATM Machines, Hand gesture recognition, Blind, Image processing, Security.

1. INTRODUCTION

About 285 million people around the world are visually impaired and about 35 million people are blind. There should be a system to help the differently abled ones to access ATM. Automated Teller Machine referred to as a cash machine, a cash dispenser and "The hole in the wall" among other names. The ATM is а computerized telecommunications device that allows financial institutions (e.g. bank or building society) customers to directly use a secure method of communication to access their bank accounts. Being a self-service banking terminal, ATM's accepts deposits and dispenses cash. Most ATM has also let users carry out other banking transactions such as check balance, pay bill, change PIN, and request a mini-statement. ATM's are activated by inserting a bank debit card into the card reader slot. The card will contain the customer's account number and PIN (Personal Identification Number) on the cards magnetic stripe.

1.1 Ease of Use

When a customer is trying to withdraw cash for example, the ATM calls up the banks computers to cognitive challenges still may have serious accessibility issues which may limit use of such facilities. Information and communication technology (ICT) is at its cutting edge and key for everyday life, facilitating access to essential services such as those of the banking sector. ATMs have made it possible for bank transactions but the blind have not fully embraced their utilization compared to the normal users.

The following challenges and inconveniences faced by the blind people:

- Inability to locate the ATM. This is due to the fact that they can't see or even tell the corners where the systems are installed.
- Inability to see the ATM screens clearly. This also can be due to the location of the ATM. It is even difficult for them view the contents of the ATM menu on the screen.
- Waiting in the queue for long hours due to breakdowns or network problems from the central bank server, if the other users in the queue experience difficulties in using the machine because of their inability, this will mean you also waiting a little bit longer in the queue. With their inability to see, the visually impaired users will now and gain use trail methods inserting the ATM card, which they can repeat doing wrongly. This problem remains more common with blind ATM users since they are not familiar with their ATM cards and can't even see how they look other than touch and feel.
- Getting money from the dispenser. Because of the same inability that they do not see, the blind users will struggle to collect their money after dispensation.
- Because most ATM screens had been designed to be used by the normal user with no cognitive challenges, the blind may not perform some operations. Generally, the blind users will find the instructions how to perform operations quite difficult to understand. Even on mastering the interactive screen, the blind users may find different ATMs with different menu options whose arrangement is opposite to the corresponding menu keys.
- In an event that they visually impaired requires further transactions, such as check balance or print statement or even top-up a mobile phone it will even be more difficult for such a person given that there are no such straight provisions.
- The visually impaired may have to wait stranded in an event that the ATM swallows the card.
- The visually impaired will always find it difficult entering of keying in PIN numbers, since some ATMs may lack Braille systems as well as choosing the transaction option may also remain a challenge.

International Research Journal of Engineering and Technology (IRJET) e-ISSN: 23

Volume: 06 Issue: 02 | Feb 2019

www.irjet.net

2. LITERATURE SURVEY

IRIET

The design and implementation of sign language interpreter is discussed in this paper. Interpreter is a hand glove along with some sensors and circuitry placed on the arm of the person wearing it for making signs. The main objective of this device is to detect the change in gestures and convert them into human understandable form to fill the communication gap between deaf or mute and normal people. The system can be upgraded easily for more understandable conversation by making use of other sensors like gyroscopes along with the already used accelerometer. This will help to judge the orientation of signs in a better way. [1]

In the existing ATMs, special type of inscription is installed called Braille on the keypad to facilitate blind, which might not be known to all So, the paper proposes to design and develop a safer and secure ATM accessing system for the blind to secure their pin codes. Magic Glove aims gap the difference between the user and traditional physical hardware devices. Given the high learning curve in understanding how to use foreign technologies, it hopes to break away from conventional control mechanisms and explore a new and smart way to control these devices. By removing the distance between the user and traditional hardware devices, the goal of Magic Glove is to make the feel more like an extension of the body as opposed to an external machine. Magic Glove provides a tangible interface that relies on hand gestures to wirelessly control any device software. [2]

This system provides an easy to use human computer interface for differently abled people as well as for others. It allows the input character and symbol from any position without restrictions. Glove based systems and vision based systems are the two approaches generally used for gesture recognition. The main aim of this paper is to provide a way to control electronic appliances using hand gestures. The method used here, there is no need to touch switches to turn on/off an appliance. The main objective is to develop an alternative human interactive system using web camera as input. The clicked real time image is processed using preprocessing T tests, Feature extraction, Hand gesture recognition. [3]

The aim of this paper is to present a system for hand gesture recognition to provide an interface for aiding visually impaired users on the basis of detection of some useful shape base features like orientation, area, centroid, extreme, location, presence of fingers and thumb in image. The approach discussed in this paper solely depends on the shape of the hand gesture. Gesture recognition system is created to provide gestures a unique tag of interpretation after recognition and classification to form an intuitive and more convenient way of interaction. There is a great emphasis on using hand gesture as a latest input modality in various applications of computers through the use of computer vision. The algorithm includes the following steps-Image Segmentation, Orientation, Detection, Feature extraction, Classification and bits generation. [4]

This paper describes the following steps:

- 1. Acquires Image/Video: It is the first stage of the architecture where the image is taken via camera or any other media device.
- 2. Extract frames of gesture: In this phase the acquired image is transformed into binary image with the help of certain methodologies so as to be processed for the next phase.
- 3. Compared with sorted gesture data: Now the transformed image is compared through several samples of data set which is stored in devices so to get the desired meaning of the data and action to be performed.
- 4. Results: If the processed data matches with the stored data then as a result certain defined action is performed related to that particular input in case if it fails to do so then again an input is taken and further steps are repeated.

Gesture Recognition Techniques:

Principal Component Analysis (PCA) is a technique that allows representing picture as points during a low-dimensional space.

OTSU's Algorithm: OTSU is a process in which the conversion of a RGB image into binary or grey scale image with the help of python. [5]

3. CONCLUSION

An automated teller machine(ATM) is an electronic banking channel, which grants customers to complete basic transaction. Without the assistance of a branch representation. Hand gestures, color space, binarization technique like Otsu's algorithm, morphological operations etc. are some of the technologies which will be used to design a secure ATM for blind people.

REFERENCES

- [1] J. Wang and T. Zhang, "An ARM- based embedded gesture recognition system using a data glove," presented at the 26th Chinese Control and Decision Conf., Changsa, China, May 31 - June2, 2014.
- [2] A. Z. Shukor, M. F. Miskon, M. H. Jamal Uddin, F. A. Ibrahim, M. F. Asyraf and M. B. Bahar, "A new data glove approach for Malaysian sign language detection," Procedia Computer. Sci., vol. 76, no. 1, pp. 60-67, Dec. 2015.

International Research Journal of Engineering and Technology (IRJET) Volume: 06 Issue: 02 | Feb 2019 www.irjet.net

e-ISSN: 2395-0056 p-ISSN: 2395-0072



[3] N. Sriram and M. Nithiyanandham, "A hand gesture recognition based communication system for silent

speakers," presented at the Int. Conf. Human Compute.

[4] S. V. Matiwade and M. R. Dixit, "Electronic support system for deaf and dumb to interpret sign language of communication," Int. J. Innov. Research Sci. Eng. Technol., vol. 5, no. 5, pp. 8683-8689, May 2016.

Interact., Chennai, India, Aug. 23-24, 2013.

- [5] Kiran Kunnur, Pallavi Guijal: "Real Time Hand Gesture Recognition using sift", International journal of Electronics and Electrical Engineering, ISSN: 2277-7040 Volume 2 Issue 3(March 2012).
- [6] Mokhtar M. Hasan, and Pramod Mishra: "Hand gesture Modelling and recognition using Geometric Features: A Review": Canadian Journal on image processing and computer vision vol.3 No.1, March 2012.
- [7] Meenakshi Panwar and Pawan Singh Mehra, "Hand Gesture Recognition for Human Computer Interaction", in Proceedings of IEEE International Conference on Image Information Processing (ICIIP 2011), Waknaghat, India, November 2011.
- [8] Amornched Jinda-apiraksa, Warong Pongstiensak, and Toshiaki Kondo," A Simple Shape-Based Approach to Hand Gesture Recognition", in Proceedings of IEEE International Conference on Electrical Engineering/Electronics Computer Telecommunications and Information Technology (ECTI-CON), Pathumthani, Thailand, pages 851-855, May 2010.