

A Detailed Review of Different Handwriting Recognition Methods

Suraj Singh Nagvanshi¹, Akhandpratap Manoj Singh², Shreya Yadav³, Deepanshi⁴

^{1,2}Student, Computer Science and Engineering Department, ABES Engineering College, Ghaziabad, India

³Student, Information Technology Department, ABES Engineering College, Ghaziabad, India

⁴Asst. Professor, Computer Science and Engineering Department, ABES Engineering College, Ghaziabad, India

Abstract - One of the major computer-related problems that is being researched is to recognize and classify an image. How machines can recognize images like humans do. Things that can be recognized from an image is handwriting, handwriting recognition can help with human dependent work such as check analysis and for handwritten form processing. In an image recognition, the angle of view, light conditioning, and whether the captured image is clear or not will affect the process of recognizing the image. There exist several methods to be discussed in this paper that can be used for handwriting recognition.

Keywords - Handwritten method, Image Recognition, Image Classification,

1. INTRODUCTION

One of the many computer-related problems that are sought and researched is how images can be recognized and classified. How a picture is recognized as a human who recognizes the image. Image recognition is an important process for image processing[1]. In image recognition, the angle of view, light conditions, and whether the captured image is clear or not will affect the process of recognizing the image

- Handwriting recognition is one of the most sought after and studied issues, since handwriting can help humans do some work such as post-exposure, bank check analysis, and handwritten processing on forms. The recognition of images for handwriting is more challenging because each person must have a different handwriting form. In addition to writing handwriting is not always straight sometimes there is a sloping up and there is a downward slant, so handwriting will be more difficult to detect than computer writing that already has a definite form.
- Handwriting detection definitely has more factors that will influence the successful recognition of a handwriting. Because a misinterpretation will be more handwriting than computer writing that is certain to have a fixed form depending on the type. For handwriting recognition, there are several methods that can be used that will be discussed in the next section.

2. IMAGE RECOGNITION METHODS

2.1 INCREMENTAL RECOGNITION METHOD

Incremental method is one method that can be used for handwriting recognition. Incremental methods can not only be applied to busy recognition but can be applied to lazy recognition as well[2]. This incremental pure method only sees the strokes just enter; in this method the previous strokes are not seen. The process is also illustrated in Figure 1. Figure 1 further clarifies the flow from the initial process to the final process. Here is a process done on the incremental method:

a) Receive a New Stroke

The stroke inputted comes from the user.

b) Update of Geometric Feature

The newly received stroke belongs to the geometric feature. Based on the recently received information, the current geometric feature average value is updated immediately.

c) Symbol Candidate's Recognition

Each symbol hypothesis is recognized by a combination of online and offline recognition. The online method is great for stroke connections, while offline will not be impacted by irregular strokes or duplicate strokes.

d) CYK update table

The CYK table only needs to be expanded, the existing table does not need to be changed anytime it receives a new stroke. Figure 1 is a diagram of the incremental process described above.




Figure 1: Flow of Incremental Recognition [11]

2.2 SEMI INCREMENTAL RECOGNITION METHOD

This semi incremental method differs from the pure incremental method. In this semi incremental method, the waiting time will not be too visible. The pure incremental method of seeing only the current scratches alone does not see the previous scratches associated with the current scratches, while the semi incremental considers the latest stroke and previous segment, this is because the previous strokes are related to the current stroke[3]. This method focuses on handwriting calculations.

a) Strategy of Local Processing

Introduction with semi incremental method is done after several new strokes entered. Incoming scars before new strokes appear also affect the outcome of the introduction. That's why strokes before new strokes come in and new strokes both must be both processed. To know the best recognition, by tracing from the first stroke.

b) Processing Flow

In the semi incremental method, the process in a pure incremental method is performed again by a semi incremental method, but in addition to using existing processes in pure incremental methods, another process is performed that is the process of correcting wrong segmentation and correcting recognition errors.[3]




Figure 2: Flow of Semi Incremental Recognition

Figure 2 is a semi-incremental recognition diagram, a few sentences after this will briefly explain the diagram. As shown in Figure 2, from the user's handwriting, a new stroke is inserted. The end result is reused for the next processing cycle.

c) Determination of Scope

To determine the scope used the result of the segmentation process. Stroke segmentation before and after the system receives a new stroke and then compared to each other. If the detected off stroke classification is considered to be scratched before start.[4]

d) Seg_rp and Segmentation Point Determination

Seg_rp is determined from SP off-strokes. From the result of the recognition of the text up to the last scope, that is the best path to the latest scope in the src lattice, a stroke between two recognizable characters can be considered SP. Among off-strokes, Seg_rp selection is performed based on the number of characters from each off-stroke until the last character in the acknowledgment. If this number is equal to N_CHAR, then the off-stroke will be determined as new Seg_rp. N_CHAR itself is the number of fixed characters needed to define a new Seg_rp.

2.3 CONVOLUTIONAL NEURAL NETWORK

Convolutional Neural Network (CNN) is one of the most widely used methods for handwriting recognition. Before entering into Convolutional Neural Network, the image must go through pre-processing first.

The following are the steps of Pre-processing:

- 1) Input the image you want to recognize.
- 2) Do cropping or warping. The goal is that the image part that does not want to be recognized is lost.

3) Set the image size. Image size should be all the same.




Figure 3: Diagram Recognition of Handwritten [5]




Figure 4: The Example of CNN Architecture [11]

CNN generally consists of three layers: convolutional layer, sub-sampling layer, and fully connection layer. But it can also be inserted another layer like softmax layer. Each layer linked to the previous layer. The softmax layer works to improve the accuracy of image detection. In Figure 4 is an example of CNN architecture without inserted an additional layer. The number of layers applied to CNN is not always the same, depending on the need. Differences in recognizable handwriting language also affect what layers will be used and how many layers. Additional layers inserted on CNN are optional. If an additional layer is inserted on CNN there will be an effect, for example, if the softmax layer is inserted into CNN then the handwriting recognition accuracy will be higher than CNN which is not inserted the softmax layer.

Below are the layers in the Convolutional Neural Network (CNN):

a) Convolutional Layer

Convolutional layer is the basic layer that builds a CNN. In this layer, the convolution process is performed. The convolution operation of this image serves to extract the input image feature. The final convolution layer to maintain the spatial position and gray level information of the convolution feature map.

b) Subsampling Layer

Pooling Layer (Subsampling). Serves to change the input feature into a representation of statistical results of the features around it, so the resulting feature size will be much smaller than the previous pooling feature. Most of the subsampling on CNN uses Max pooling.

c) Fully-Connected Layer

As a classifier on CNN, this layer is a CNN architecture consisting of input layer, hidden layer, and output layer.

d) Softmax Layer

The softmax layer is the last layer on CNN. Softmax Layer is used to present output to the form of probability. Very useful for classification. The softmax function has a value between 0 and 1. The class with the maximum value will be selected as the class for the image, while the smaller value means not including the main image to be detected.

Here is the Equation [6]:

$$f_i(x) = \frac{e^{x_i}}{\sum_k e^{x_k}}$$

Where x_i is the input value, k is the number of kernels, and x is a vector of scores. Where f_i is the element to i at f .

The stages of the CNN method for image recognition in writing as below:

1) Pre-Processing: The image is resized, if too large then the calculation will be high or too small will be difficult to adjust to large networks. Larger images are cut and padding will be applied to smaller images to get the standard size.

2) Creation of datasets: If no open source dataset is available for handwriting characters to be detected, it must be built in a new dataset, but if a dataset is available then an existing dataset can be used.

3) Final Data Determination: A large dataset is required to train CNN. To achieve this, the images that

have been obtained are modified and changed to get a large number of variations.

4) Classification: The CNN end layer is the Softmax layer and the softmax layer is used to classify the given input image.

5) Testing: The test module is related to the test image. The test images were obtained by splitting the randomly enlarged dataset.

2.4 LINE AND WORD SEGMENTATION

Handwriting segmentation is a difficult problem in handwriting recognition. Even in recognition, handwriting is harder to recognize than computer writing. One factor is everyone has different handwriting forms. The other factor is the slope factor of a writing. In the recognition of handwriting, the word segmentation into letters is a usable approach. The word segmentation is complex, but it is even more complicated if this method has to recognize the dial. A Line and Words Segmentation Approach for Printed Documents to project a powerful process. A writing can be segmented based on line, word, and character. On line segmentation is detected by scanning the written image that has been inputted horizontally.

The following is a step by step of the method:

a) View scanned images and crop imagery to find areas of interest.

b) Remove existing noise in image using subtraction method. To remove the noise on the image inputted pre-processing done. The size of the image that has been inputted adapted its size. Then the resized image is subtracted from the blank image for a noise-free image.

c) The image is converted to binary by way of mining text and removing the background. Change the grayscale image to binary image. Where 0 is black and 1 is white.

d) Correction and skew detection using Hough Transform. Skew's handwriting image is inevitable. Therefore, a change of tilt is a serious thing. Hough Transform is used to know the slope accurately by mapping the dot on the cartesian space (x, y) to the sinusoidal curve.

$$\rho = x \cos \theta + y \sin \theta$$

Skew is defined by θ . For Correction skew in a direction in the opposite direction of the same angle.

e) The use of 'bwmorph' morphology function for thinning process. The morphological process applied here is Thinning. Thinning is used to remove marked pixels marked from binary images, much like erosion.

6) Horizontal Projection Profile is used for line segmentation. In the histogram of a handwriting, a peak and valley indicate the writing and space between each line.

7) Use of dilation and Vertical Projection Profile word segmentation is done.

2.5 PART-BASED METHOD

Part-Based methods have been used to recognize an object. Below are the properties of the part-based method [7]:

a) Use multiple key points to represent a single image.

b) In evaluating the similarity of global features is often overlooked, this leads to an increase in resistance to object display variations.

c) Image similarity depends on whether or not the image with key point, if the same then the image will be considered to be in the same class as Key point.

d) Each class is sometimes represented by a collection of key points extracted from several (different) class images for many variations.

The following are the benefits of the Part-Based method:

1) Characters can still be recognized although difficult to normalize with preprocessing.

2) It does not depend on the global structure, therefore, if there is a line or curve of writing, it is still recognizable.

3) Equivalent to the most unconstrained image distortion model, each local part is disturbed around its original position to represent deformation. As a result, it is very powerful to serve deformation.

4) Can be directly applied to cursive script because it can recognize its component character. This relaxes the difficulty of segmentation.

5) Can be applied to scenery images to detect the characters in the image.

Part-based character recognition methods are organized in two steps, the first step of the training and the second introductory step. Here, the steps are:

1) Training Step

The keystrokes will be detected on each training pattern using the SURF key detector. The square area around each key point is represented as a 128-dimensional SURF feature vector (reference vector), then stored into a database (dictionary). Figure 5 is a picture of the SURF feature vector that has been briefly described in this step training.




Figure 5: Describing a local part as a 128-dimensional SURF feature vector.

2) Recognition Step

The next recognition step consists of two sub-steps, namely the feature-level and character-level recognition.

2.6 SLOPE AND SLANT CORRECTION METHOD

Slope and slant correction in handwriting is used to reduce the style variation in writing. When writing variation is simple it will help the recognition process. Careful slope correction not only makes the segmentation process simpler but also the accuracy of the writing recognition itself.

• **Slope Correction Method**

In the proposed method, the slope of the word text can be estimated based on the slope of the baseline. Ascenders and descenders have no contribution to the initial formation, they are thrown out as much as possible and then the best straight line as expected from the remaining part of the word. The basic slope is found then the slope corrected by rotating the word about with the angle of the slope. The slope of the word is estimated from the slope of the baseline. First, select the core area of the word and then determine the best load line from the bottom area of the core. Then the selected part is divided into small pieces. To reduce as much as possible the effect of slope on a post, the skewed correction must be performed before segmentation, feature extraction, training, and classification stages. The initially slanted writing will become upright. Leverage is the value of deviation from the variable mean. Leverage is the average of L_i .

Here is the Equation of L_i [8, 11]:

$$L_i = \frac{1}{N} \frac{(y_i - \bar{y})^2}{\sum_{i=1}^N (y_i - \bar{y})^2}$$

- N - Total number of Centroid
- y_i - Vertical Coordinate
- \bar{y} - Mean of y_i

• **Slant Correction Method**

Directed textures can be detected and analyzed efficiently by using Gabor filters. This capability is attached to the Gabor filter because it can provide bank filters depending on the length variations as well as the angle parameters. The resemblance of the image can be improved. The slope is estimated and considered as the slope of the original image. Finally, using a sliding transform, the slope of the original image is corrected.

2.7 ZONING METHOD

Zoning is a method that can be used for handwriting recognition. The pattern image is divided into several zones that provide regional information. The zoning method is quite successfully applied to handwriting recognition. There are two methods of zoning, static and dynamic. The following is an explanation of the Zoning method [9]:

a) *Static Zoning*

In this static zoning, zones are distributed evenly (uniformly), so that the zones of one and the other are the same. The more zones in an image then the accuracy of the image will be higher. Figure 6 is a description of the uniformity of zone divisions.




Figure 6: Static Zoning

b) *Dynamic Zoning*

In dynamic zoning, the number of zones dividing from a large image is not the same. In figure 7 it shows the non-uniform zone division, the magnitude is different.




Figure 7: Dynamic Zoning

3. CONCLUSION

Image recognition is an important process for the image processing. Image feature extraction has several constraints such as differences in image capture position and different lighting conditions when the image is taken. The image recognition in handwriting is more challenging because everyone has different handwriting forms, so that on the detection also handwriting will be more difficult to detect compared writings from computers that already have a definite standard form. There are seven methods discussed and which have the highest accuracy is the Method of Convolutional Neural Network (CNN). The method of the lowest accuracy is Slope and Slant Correction Method.

ACKNOWLEDGEMENT

We would like to express our gratitude towards our University, Dr A. P. J. Abdul Kalam Technical University for giving us a chance to explore various technologies under our final year Project in Engineering Courses this enables us to understand the depth and importance of subject. Also, we would like to thank our institution ABES Engineering College, Ghaziabad for their kind support and guidance in our work. We are thankful to Mrs. Pratibha Singh, our project coordinator for her unflinching support through this journey. Also, we extend our gratitude out Ms. Deepanshi our Project guide and Mr. Pankaj Sharma, Head and Professor, Computer Science and Engineering Department for their support and guidance.

Finally, we must express our very profound gratitude to our parents for providing us with unflinching support and continuous encouragement throughout, this achievement would not have been possible without them.

REFERENCES

- [1] Zhu. Xianwen and Jing fu. "Image recognition method based on artificial life and support vector machine", *Sixth International Conference on Intelligent Human-Machine Systems and Cybernetics*, 2014.
- [2] Phan. Khanh Minh, Cuong Tuan Nguyen, Anh Due Le and Masaki Nakagawa. "An Incremental Recognition Method for Online Handwritten Mathematical Expression", *3rd IAPR Asian Conference on Pattern Recognition*, 2015.
- [3] Phan. Khanh Minh, Anh Le Due, and Masaki Nakagawa. "Semi-Incremental Recognition of Online Handwritten Mathematical Expressions", *15th International Conference on Frontiers in Handwriting Recognition*, 2016.
- [4] Nguyen. Cuong Tuan, Bilan Zhu, and Masaki Nakagawa. "A semi-incremental recognition method for on-line handwritten Japanese text", *12th International Conference on Document Analysis and Recognition*, 2013.
- [5] Nair. Pranav P, Ajay James, and C saravnan. "Malayalam Handwritten Character Recognition Using Convolutional Neural Network", *International Conference on Inventive Communication and Computational Technologies (ICICC)*, 2017.
- [6] Tsai. Charlie. "Recognizing Handwritten Japanese Characters Using Deep Convolutional Neural Networks", *Department of Chemical Engineering Stanford University*, 2015.
- [7] Song. Wang, Seiichi Uchida and Marcus Liwieki. "Comparative Study of Part-Based Handwritten Character Recognition Methods", *International Conference on Document Analysis and Recognition*, 2015.
- [8] Gupta. Jija Das and Bhabatosh Chanda. "Novel Methods for Slope and Slant Correction of Off-line Handwritten Text Word", *International Conference on Emerging Applications of Information Technology (EAIT)*, 2012.
- [9] Impedovo. S, G. Pirlo, R. Modugno, and A Ferrante. "Zoning Methods for Hand-Written Character Recognition: An Overview", *12th International Conference on Frontiers in Handwriting Recognition*, 2010.
- [10] A. A. Ahmed Ali, M. Suresha and H. A. Mohsin Ahmed, "Different Handwritten Character Recognition Methods: A Review," 2019 Global Conference for Advancement in Technology (GCAT), BANGALURU, India, 2019, pp. 1-8.
- [11] Salma Shofia Rosyda and Tito Waluyo Purboyo, "A Review of Various Handwriting Recognition Methods", *International Journal of Applied Engineering Research* ISSN 0973-4562 Volume 13, Number 2(2018) pp.1155-1164