

MICROBOT BASED COMPUTER VISION ENABLED HOSTAGE RESCUE ASSISTANCE SYSTEM

POOJA S SINGH¹, HARINI V N², BHOOMIKA K C³, DEEPTHI P⁴

^{1,2,3,4}Students, Department of Information science, New Horizon College of Engineering, Bangalore, India

Abstract -For the last few months, the world is suffering from epidemic COVID-19. It is found that till all people are vaccinated, we all must take the precautionary measures of using hand sanitizers, face masks and the most important is following social distancing. Computer vision technology can play a vital role in this crucial scenario. The advanced video processing algorithms provide fast computational capability, provides a possibility to use video tracking and counting people in real-time. The adoption of this measure, not only serves as a crisis plan for pandemic but also provides a range of benefits in long term. In this paper, we propose an algorithm that analyzes a video sequence detects people to yield frequency of people along the direction of path traversal which can be implemented in the open-access building such as malls, airports, shopping centers, etc. It can be easily integrated into already existing systems if there are already installed surveillance cameras. The result obtained can be used for purpose of statistics in the circumstances of any calamity occurrence for the rescue team to take relevant measures to rescue the people. This paper gives the solution using blob analysis using Open-CV and python.

Key Words: Computer Vision, Social distancing, People Counter, OpenCV, Blob analysis, Video Analytics

1. INTRODUCTION

Traveling is restricted due to the covid-19 epidemic and people are advised to safely stay at home. At the time of de-confinement, the medical bodies have described distancing protocols. The idea of making a person counter at the entrance of open-access buildings [1] of essential services like grocery shopping, visiting doctor In this project we propose an algorithm to track down how many people enter and exit your premises and when they do it can help you make informed decisions and increase operational efficiency so, the person managing security can be sure that they meet the requested health standards. There are numerous studies on the subject of people counting, including various classic approaches including sensors. People detection approaches rely on a variety of sensors, including infrared beam sensors, thermal sensors, and footstep sensors, all of which use pressure-sensing methods all these methods were ineffective and unreliable and had a high probability of counting persons incorrectly. Thus in commercial and security applications, there is a

rising interest in video-based systems for people counting and surveillance as they provide more varied functionality, higher performance, at cheaper costs than traditional sensor-based systems. The proposed people counting algorithm counts people passing through an area that is dedicated in a video stream. For this application, the camera should be directed top-down. This system can count the number of times that people cross each line, separating the count by the direction of the crossing using blob (Binary Large object) analysis thus providing the count of the people entering and leaving a particular area, it can also be easily integrated into already existing systems. If there are already installed surveillance cameras, and the main purpose is to offer an accurate estimation while still keeping the anonymity of the visitors.

It is important to know the direction of the people [2] along with the count to make the implemented algorithm efficient. This person counting algorithm that is proposed in corresponding to this paper using blob analysis provides the count of the number of people entering and leaving a particular area along with the direction of the moving people which in addition overcomes the problem of occlusion in the case of more number of people move in the cameras field of view.

Many motion detection techniques [3] are extensively investigated in the literature. However, background subtraction techniques are most commonly used while dealing with the fixed cameras. Every application that benefits from the smart video processing [4] method has different needs, thus it requires other types of treatment. However, they have something in common: moving objects.

The discussed circumstances bring in the need for Intelligent Video Surveillance in order to give alerts on the movement of an asset instantly rather than live recording.

Government of India has taken initiative through the Department of Science and Technology to promote the development of Smart buildings.

Intelligent video surveillance is a vital module in Smart Buildings.




Figure 1: Smart Features in Smart Buildings

2. LITERATURE REVIEW

There exist many works related to the people count, which has many traditional methods based on the image sensing techniques. The people detection-based techniques using various sensors like Infrared beam sensors, thermal-based sensors, foot step sensors used for pressure sensing methods, and so on. The conventional methods include the usage of turnstiles, which may not be accurate and also makes the people feel difficult to go through that particular way. The traditional methods of detecting people, cannot identify whether the moving object is human. The conventional system which uses sensors have more chances of counting the number of people wrongly. The systems might assume the vehicles or any animal to be a human as they are also dynamic leading to the wrong count.

Another conventional counter was using thermal sensors. The people counter [4] based on using the thermal sensors depend on the temperature of the objects in the scene. The thermal sensor can identify humans based on the variation of temperature in the region. The drawback of the counter using thermal sensors was that if there exists any change in temperature in the environment, the system might get corrupted. In case the temperature of the surroundings is close to the human body temperature, the system fails to respond. There are other people counting systems that include the footstep sensor or the sound sensor. These were no used so often as they need a very supportive environment and high maintenance. These did not even produce the result regarding the direction of movement of the people which determines the number of people who were entering and leaving that particular area. The most preferable method for counting people is using the image processing algorithms [5] based on computer-vision- based techniques. Research is still going on in this field and in recent days, the people count system is being widely used in many places including shopping malls, colleges,

industries, tourist places, places that are occupied with denser crowds.

Geoffrey Gordon presented a paper on "Better Motion prediction for people tracking". In this work, the author proposed a movement demonstrate for individuals following that is roused by the objective arranged nature of individuals' development. This movement shows includes a learning segment that enables it to utilize data about individuals' normal directions in a particular domain to learn objective areas. Badhan Hemangi presented a paper on "PEOPLE COUNTING SYSTEM USING RASPBERRY PI WITH OPENCV". In this approach, the framework checks the number of individuals passing through a virtual door by using a Pi-camera mounting vertically on the Raspberry Pi board with a Python programming device connected to the application but the framework needs a ton of upgrades to be truly dependable[10].

Mingxiu Zhang presented the paper on "Real-time tracking passing people uses a single camera" In this approach, he examined the location and following of passing individuals by utilizing the bi-directional projection histogram of the histogram and utilized two casing contrasting techniques for different individual's division[13]. Nitesh Sanklecha presented the paper on "Motion Detection and Tracking of a Leopard in a Video". This paper, it represents two different scenarios for tracking an object in a video sequence. Using the Horn-Schunck algorithm for motion estimation gave fair results, but it cannot eliminate noise. But using Lucas-Kanade algorithm gave the best results compared to the earlier algorithm with noise removal. The disadvantage of this method is there are some discontinuities observed while determining the Optical Flow pattern[11].

3. PROPOSED SYSTEM




Figure 2: Pictorial Representation of Proposed System.

The proposed system concerns counting persons who entered a gate. A camera must be mounted on the gate's ceiling. The monitoring area where photographs of pedestrians are captured to detect, track, and count them is represented by a scene provided by a camera. To track and count people, it takes the following steps:

1. Observing phase: this is the phase in which the moving objects are detected as they enter the scene.
2. Tracing phase: It tracks the motion of an object within the monitoring region during the tracing phase.
3. Counting phase: It is the most used method for counting persons according to their tracing phase. The proposed method makes use of data derived from a camera video that is made up of numerous frames. To obtain persons, each captured frame must be processed independently (blob). Following that, blob detection and tracking are addressed. After that, the blob is counted.

4. METHODOLOGY

I. SYSTEM DESIGN AND ANALYSIS

The people counting algorithm, which provides information on the number of people arriving and departing the region, was included in the preliminary build of the program. A video is recorded for a specific period. The algorithm uses the collected video as input and produces People In and Out counts as output. Knowing the exact number of persons in an open-access building can be crucial to the rescue operation's

effectiveness. Shopping centers are mandated to keep track of the exact number of people on their premises at all times. The number of people going through a gate is often estimated using a people counting technology that counts the number of times a virtual horizontal line is interrupted as a person passes underneath it This is the first phase of the project, and we are focusing on four complementary components, namely,

- i. Background Estimation
- ii. Segmentation
- iii. Tracking and Counting.

II. SYSTEM REQUIREMENTS

A System Architecture is a conceptual model that describes a system's structure, behavior, and other aspects. A detailed definition and representation of a system arranged in a way that facilitates reasoning about the system's structures and behaviors are known as an architecture description.




Figure 3: System Design

System components, externally observable attributes of those components, and linkages (e.g. behavior) between them can all be included in system architecture. It can provide a blueprint for obtaining products and developing systems that will operate together to implement the overall system.

III. ALGORITHM

The proposed algorithm for people count in a video is implemented in OPEN CV3 using python. The implementation goes on with the process of background subtraction on the incoming frames followed by the blob analysis and by using virtual lines number of people can be detected, the count of the people entering and leaving a particular area can be evaluated. The current "people counting algorithm" is implemented using blob analysis, which is the basic theory of background subtraction, which is the first and foremost step to detect moving objects. In a video generally, background subtraction has to be done to separate the moving objects from the static objects.

the diameter of the blob along with its centroid. The blob detection is used to identify the presence of humans based on the head part.

5. EXPERIMENTAL RESULT




Figure 4: Work flow of People Counter

The blob is to be detected for the foreground extracted objects and based on the blobs detected, the heads of the people can be identified in each frame. The blob detection is possible by considering the blob parameters like circularity, convexity, inertia. The detected blobs return



Figure 5: Experimental Result 1.



Figure 6: Experimental Result 2.



Figure 7: Experimental Result 3.

In the consideration of the results obtained using the proposed algorithm, a graph is plotted in comparison to the true count and the resultant count. The results plotted are shown below in a graphical manner:




Figure 8: ROC Curve for People Counter

ROC- Receiver Operating Characteristics

Video	Number of frames analyzed	Number of frames detected with people	Precision
1	600	506	0.831
2	600	489	0.793
3	600	522	0.855
4	600	501	0.851
5	600	480	0.761
6	600	590	0.79
7	600	545	0.89
8	600	515	0.84
9	600	482	0.79
10	600	519	0.85

Table 1: Prediction Evaluation of Analyzed Vs Detected Data set

The average precision for the 10 videos is 0.84

An Experimental Trail with different images with different number of individuals is completed and is checked individually. The following table gives the comparison between the number of frames analyzed and total number of frame in which asset is detected and corresponding accuracy is listed after that.

Thus it provides the information about the total number of people counted in real time with average precision of 0.87.

6. CONCLUSION

The obtained results reflect the efficiency of the proposed algorithm. The algorithm implemented which can be practically used for the applications of people counting. The main objective of this project is to use this as a business perspective, ready-to-scale model. Automating features and optimizing the real-time stream for better performance (with threading).As the proposed work uses the blob analysis that identifies the person by his/her head, occlusion can be avoided that improves the efficiency of the algorithm to leading to the exact count of the people.

7.ACKNOWLEDGEMENT

We wish to thank the management of New Horizon College of Engineering for providing us the wonderful opportunity to do the project."Dr.Manjunatha",Principal for his constant support and encouragement ."Dr. R.J Anandhi",Prof.&HOD- Information Science and Engineering" for her valuable suggestions and expert advice. We extend our deep sense of gratitude to our professor and guide "Mr.Gautam K.S", Sr.Assistant Professor in the Department of Information Science and Engineering, NHCE for his able guidance, care , regular source of encouragement and assistance throughout our project period. We thank all the teaching and non-teaching staffs, our classmates and friends for sharing their knowledge and valuable suggestions.

8. REFERENCES

- [1] Gautam, K. S. "Video Analytics based Intelligent Transport System for passenger flow forecast and Social Distancing Indication." Turkish Journal of Computer and Mathematics Education (TURCOMAT) 12.7 (2021): 2709-2721.
- [2] Gautam, K. S., Latha Parameswaran, and Senthil Kumar Thangavel. "Computer Vision Based Asset Surveillance for Smart Buildings." Journal of Computational and Theoretical Nanoscience 17.1 (2020): 456-463.
- [3] Gautam, K. S., Vishnu Kumar Kaliappan, and M. Akila. "Strategies for Boosted Learning Using VGG 3 and Deep Neural Network as Baseline Models." Intelligent Data Communication Technologies and Internet of

Things: Proceedings of ICICI 2020. Springer Singapore, 2021.

- [4] Gautam, K. S., Latha Parameswaran, and Senthil Kumar Thangavel. "A Cascade Color Image Retrieval Framework." International Conference On Computational Vision and Bio Inspired Computing. Springer, Cham, 2018.
- [5] Gautam, K. S., and Senthil Kumar Thangavel. "Video analytics-based intelligent surveillance system for smart buildings." *Soft Computing* 23.8 (2019): 2813-2837.
- [6] Prabakaran V, Arthanariee A.M, Sivakumar, Crowd Safety: A Real Time System For Counting People , International Journal Of Innovative Technology and Creative Engineering, Volume 1, Issue 1, 6-11.
- [7] S. Mezei AND A. Sergiu, "A Computer Vision Approach to Object Tracking and Counting", DARABANT.
- [8] Bruce, Allison, and Geoffrey Gordon, "Better motion prediction for people-tracking", at the Proceedings of the International Conference on Robotics & Automation (ICRA), Barcelona, Spain2004.
- [9] G. Bradski, A. Kaehler, Learning OpenCV, Computer Vision with the OpenCV Library, O'Reilly Media, Inc., Sevvan, CA, USA, 2008.
- [10] NiteshSanklecha, Dr. SudarshanPatil Kulkarni, "Motion Detection and Tracking of a Leopard in a Video" , at International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering Vol. 4, in August 2015 .
- [11] D. Helbing, D. Brockmann, T. Chadefaux, K. Donnay, U. Blanke, O. Woolley-Meza, M. Moussaid, A. Johansson and J. Krause, ""Saving Human Lives: What Complexity Science and Information Systems can Contribute," *Journal of Statistical Physics*, pp. Volume 158, Issue 3 pp735-781, February 2015.
- [12] Ma, Honglian & Lu, Huchuan & Zhang, Mingxiu. (2008). A Real-time Effective System for Tracking Passing People Using a Single Camera. 6173 - 6177. 10.1109/WCICA.2008.4592793.